CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS	•	Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	82.3%	82.4%	82.4%	82.4%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	•	Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS	•	Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS	-	Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		Cust.Controllable Ringing	82.3%	82.4%	82.4%	82.4%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	Typ8 - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

Total Access Lines in: GARY Total = 81502

Percentage Availability of ONA Services By Date for GARY

Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97	
			0.0%	0.0%	0.0%	0.0%	
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	98.2%	98.3%	98.3%	98.3%	
BSA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	98.2%	98.3%	98.3%	98.3%	
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%	
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	98.2%	98.3%	98.3%	98.3%	
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	39.7%	39.5%	39.5%	39.4%	
BSA	Dedicated Alert Transport	Alarm Signal Transport	100.0%	100.0%	100.0%	100.0%	
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%	
BSE	Fast Select Accept Pkt	Fast Select	98.2%	98.3%	98.3%	98.3%	
BSE	Fast Select Request Pkt	Fast Select	98.2%	98.3%	98.3%	98.3%	
BSE	Cld DN Deliv via DID	Direct Inward Dialing	86.6%	86.5%	86.5%	86.4%	
SSE	Clig Bilg Num Deliv FG B	Automatic No. ID	86.6%	86.5%	86.5%	86.4%	
	Cllg Bllg Num Deliv FG D			54.8%	54.6%	54.3%	
	Clig DA Deliv via BCLID	Clg No.ID Delivy CLASS		86.5%		86.4%	
	CXR Select On Rvse Charg	•		86.5%		86.4%	
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice		86.5%		86.4%	
	MWI- Activation Audible	MWI Audible		86.5%		86.4%	
	Multiline Hunt Group	Hunt Group Arrangement		86.5%		86.4%	
	MLHG-UCD Line Hunting	Uniform Call Distribution		86.5%		86.4%	
	MLHG - UCD With Queuing	Queuing		86.5%	86.5%	86.4%	
	Three Way Call Transfer	User Transfer		86.5%		86.4%	
	Remote Call Forwarding	Foreign Exchange		86.5%		86.4%	
	Route Diversity	Diversity Routing		86.5%		86.4%	
	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)		86.5%		86.4%	
SE		Prior Pkt Sw'd Ntw Suppl		31.8%	31.9%	32.1%	
SE		MegaConnect Svc (SMDS)		0.0%	0.0%	0.0%	
SE		MWI Actvtn Audbl Rng Brst		54.8%		54.3%	
	Call Det Recdig Rpts- Pkt	·	98.2%	98.3%		98.3%	
	Fast Select Accept Pkt	Fast Select	98.2%	98.3%	98.3%	98.3%	
	Fast Select Request Pkt		98.2%	98.3%	98.3%	98.3%	
	Automatic Callback	Automatic Busy Redial		86.5%		86.4%	
		Automatic Call Return		86.5%		86.4%	
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed		86.5%		86.4%	
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	86.6%	86.5%	86.5%	86.4%	
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	86.6%	86.5%	86.5%	86.4%	
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	86.6%	86.5%	86.5%	86.4%	
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed					
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	86.6%	86.5% 86.5%	86.5%	86.4%	
	CF Mult Sim Call Intersw		86.6% 31.5%	86.5% 31.8%	86.5%	86.4% 32.1%	
		Cl Fwd'g - Multipath	31.5%	31.8%	31.9%	32.1% 84.4%	
	CF - Variable	Variable Cl Fwd'g	86.6%	86.5%	86.5%	86.4%	
	CF Var - Remote Act/Cont	Remote Access-CF Variable	86.6%	86.5%	86.5%	86.4%	
	Call Waiting - Cancel	Cancel Call Waiting	86.6%	86.5%	86.5%	86.4%	
	Clig DA Deliv via ICLID	Clg No.ID Delivy CLASS	86.6%	86.5%	86.5%	86.4%	
	Customer Originated Trace	Call Tracing Service	86.6%	86.5%	86.5%	86.4%	
	Distinctive Ringing	VIP Alert	86.6%	86.5%	86.5%	86.4%	
	Dist Ring Term Screen	Smart Ring	86.6%	86.5%	86.5%	86.4%	
	lot Line	Auto Ring Dwn Ckt Signal	86.6%	86.5%	86.5%	86.4%	
NS 1	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	86.6%	86.5%	86.5%	86.4%	

CNS	Selective Call Forward'g	Special Call Forwarding	86.6%	86.5%	86.5%	86.4%
CNS	Selective Call Rejection	Call Block	86.6%	86.5%	86.5%	86.4%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	86.6%	86.5%	86.5%	86.4%
CNS		Busy Number Redial	86.6%	86.5%	86.5%	86.4%
CNS		Saved Number Redial	55.1%	54.8%	54.6%	54.3%
CNS		Last Number Redial	86.6%	86.5%	86.5%	86.4%
CNS	Call Waiting	Call Waiting	86.6%	86.5%	86.5%	86.4%
CNS	Three Way Calling	Three Way Calling	86.6%	86.5%	86.5%	86.4%
CNS	Remote Call Forwarding	Remote Call Forwarding	86.6%	86.5%	86.5%	86.4%
CNS		Cll Frwd'g Fixed-All clls	86.6%	86.5%	86.5%	86.4%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	86.6%	86.5%	86.5%	86.4%
CNS		Special Call Waiting	86.6%	86.5%	86.5%	86.4%
CNS		Special Call Acceptance	86.6%	86.5%	86.5%	86.4%
CNS		Anonymous Call Rejection	86.6%	86.5%	86.5%	86.4%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	86.6%	86.5%	86.5%	86.4%
CNS		Call Restriction Service	86.6%	86.5%	86.5%	86.4%
CNS		MWI Abl Rcv Adbl Rng Brst	55.1%	54.8%	54.6%	54.3%
CNS		Cust.Controllable Ringing	55.1%	54.8%	54.6%	54.3%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: GRAND RAPIDS

Total Access Lines in: GRAND RAPIDS Total = 101512

Percentage Availability of ONA Services By Date for GRAND RAPIDS Total

ype	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
SA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	88.7%	88.7%	88.8%	88.8%
A	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	88.7%	88.7%	88.8%	88.8%
	Type F - Ded <64kbps	Digital Data Svc-DDS	96.7%	96.7%	96.7%	96.7%
	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	88.6%	88.6%	88.6%	88.6%
	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	47.1%	47.1%	47.1%	47.0%
	Dedicated Alert Transport	Alarm Signal Transport	91.5%	91.5%	91.6%	91.6%
	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	88.7%	88.7%	88.8%	88.8%
	Fast Select Request Pkt	Fast Select	88.7%	88.7%	88.8%	88.8%
	Cld DN Deliv via DID	Direct Inward Dialing	69.2%	69.1%	69.1%	69.1%
	Clig Blig Num Deliv FG B	*	69.2%	69.1%	69.1%	69.1%
	Cllg Blig Num Deliv FG D		55.5%	55.4%	55.2%	55.0%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	72.6%	72.6%	72.6%	72.6%
	CXR Select On Ryse Charg	800 Service	69.2%	69.1%	69.1%	69.1%
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	72.6%	72.6%	72.6%	72.6%
	MWI- Activation Audible	MWI Audible	53.7%	53.6%	53.4%	53.3%
	Multiline Hunt Group	Hunt Group Arrangement	72.6%	72.6%	72.6%	72.6%
	MLHG-UCD Line Hunting	Uniform Call Distribution		72.6%	72.6%	72.6%
	MLHG - UCD With Queuing	Queuing	69.2%	69.1%	69.1%	69.1%
	Three Way Call Transfer	User Transfer	72.6%	72.6%	72.6%	72.6%
	Remote Call Forwarding	Foreign Exchange	72.6%	72.6%	72.6%	72.6%
	Route Diversity	Diversity Routing	69.2%	69.1%	69.1%	69.1%
	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	72.6%	72.6%	72.6%	72.6%
	ord no. ortg minorted	Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
		MWI Actvtn Audbl Rng Brst		39.6%	39.3%	39.1%
	Call Det Recd'g Rpts- Pkt		88.7%	88.7%	88.8%	88.8%
	Fast Select Accept Pkt	Fast Select	88.7%	88.7%	88.8%	88.8%
	•					
	Fast Select Request Pkt	Fast Select	88.7%	88.7%	88.8%	88.8%
	Automatic Callback	Automatic Busy Redial	72.6%	72.6%	72.6%	72.6%
	Automatic Recall	Automatic Call Return	72.6%	72.6%	72.6%	72.6%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	72.6%	72.6%	72.6%	72.6%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	72.6%	72.6%	72.6%	72.6%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	70.8%	70.8%	70.9%	70.9%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	72.6%	72.6%	72.6%	72.6%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	72.6%	72.6%	72.6%	72.6%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	72.6%	72.6%	72.6%	72.6%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	17.1%	17.3%	17.4%	17.6%
	CF - Variable	Variable Cl Fwd'g	72.6%	72.6%	72.6%	72.6%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	70.8%	70.8%	70.9%	70.9%
	Call Waiting - Cancel	Cancel Call Waiting	72.6%	72.6%	72.6%	72.6%
	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	72.6%	72.6%	72.6%	72.6%
	Customer Originated Trace	Call Tracing Service	72.6%	72.6%	72.6%	72.6%
	Distinctive Ringing	VIP Alert	72.6%	72.6%	72.6%	72.6%
	Dist Ring Term Screen	Smart Ring	72.6%	72.6%	72.6%	72.6%
	Hot Line	Auto Ring Dwn Ckt Signal	72.6%	72.6%	72.6%	72.6%
	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	60.4%	60.3%	60.3%	60.2%

CNS	Selective Call Forward'g	Special Call Forwarding	72.6%	72.6%	72.6%	72.6%
CNS	Selective Call Rejection	Call Block	72.6%	72.6%	72.6%	72.6%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	72.6%	72.6%	72.6%	72.6%
CNS		Busy Number Redial	72.6%	72.6%	72.6%	72.6%
CNS		Saved Number Redial	52.1%	51.9%	51.7%	51.5%
CNS		Last Number Redial	72.6%	72.6%	72.6%	72.6%
CNS	Call Waiting	Call Waiting	72.6%	72.6%	72.6%	72.6%
CNS	Three Way Calling	Three Way Calling	72.6%	72.6%	72.6%	72.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	72.6%	72.6%	72.6%	72.6%
CNS		Cll Frwd'g Fixed-All clls	72.6%	72.6%	72.6%	72.6%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	72.6%	72.6%	72.6%	72.6%
CNS		Special Call Waiting	55.5%	55.4%	55.2%	55.0%
CNS		Special Call Acceptance	55.5%	55.4%	55.2%	55.0%
CNS		Anonymous Call Rejection	55.5%	55.4%	55.2%	55.0%
CNS	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	72.6%	72.6%	72.6%	72.6%
CNS	•	Call Restriction Service	72.6%	72.6%	72.6%	72.6%
CNS		MWI Abl Rcv Adbl Rng Brst	39.8%	39.6%	39.3%	39.1%
CNS		Cust.Controllable Ringing	72.6%	72.6%	72.6%	72.6%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS	•	GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: GREEN BAY

Total Access Lines in: GREEN BAY Total =

5385

Percentage Availability of ONA Services By Date for GREEN BAY Total

ype	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
4	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	100.0%	100.0%	100.0%	100.0%
	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
	Dedicated Alert Transport	Alarm Signal Transport	0.0%	0.0%	0.0%	0.0%
	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
	Clig Bilg Num Deliv FG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
	Clig Blig Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	CXR Select On Rvse Charg	800 Service	100.0%	100.0%	100.0%	100.0%
:	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
	· ·	Bild No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
	3rd No. Bllg Inhibited	Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
		• •	0.0%	0.0%	0.0%	0.0%
		MegaConnect Svc (SMDS)	100.0%	100.0%	100.0%	100.0%
	- 11 - 1 - 1 - 1 - 1 - 1	MWI Actvtn Audbi Rng Brst			0.0%	0.0%
	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%		
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
	Cilg DA Deliv via ICLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
;	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
			100.0%	100.0%	100.0%	100.0%
	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.00	100.070	

CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS	•	Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	Typ8 - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: GREENVILLE

Total Access Lines in: GREENVILLE Total = 16536

Percentage Availability of ONA Services By Date for GREENVILLE Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
SA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
SA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	77.7%	78.4%	79.1%	79.6%
SA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
SSA	Dedicated Alert Transport	Alarm Signal Transport	100.0%	100.0%	100.0%	100.0%
SA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
SE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
SE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
SE	Cld DN Deliv via DID	Direct Inward Dialing	77.7%	78.4%	79.1%	79.6%
	Cllg Bllg Num Deliv FG B	Automatic No. ID	77.7%	78.4%	79.1%	79.6%
	Clig Blig Num Deliv FG D		22.3%	21.6%	20.9%	20.4%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	CXR Select On Rvse Charg	800 Service	77.7%	78.4%	79.1%	79.6%
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
	MLHG - UCD With Queuing	Queuing	77.7%	78.4%	79.1%	79.6%
	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
	Route Diversity	Diversity Routing	77.7%	78.4%	79.1%	79.6%
	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
E		Prior Pkt Swid Ntw Suppl	77.7%	78.4%	79.1%	79.6%
E		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
E		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
	Call Det Recd'g Rpts- Pkt	-	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
	Automatic Recall	Automatic Call Return				
		Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0% 100.0%
	CFBL Intraswitch	•	100.0%	100.0%	100.0%	
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	77.7%	78.4%	79.1%	79.6%
	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
IS [Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
IS I	iot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
S P	AWI-ATR Audible Msg Wtg	Recieve Audible MWI	100.0%	100.0%	100.0%	100.0%

CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bilg Inhibited	Bild No. Screenig (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		Cust.Controllable Ringing	22.3%	21.6%	20.9%	20.4%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hí Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: HAMILTON

Total Access Lines in: HAMILTON Total = 9731

Percentage Availability of ONA Services By Date for HAMILTON Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
SSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
SA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
A	Type F - Ded <64kbps	Digital Data Svc-DDS	99.3%	99.3%	99.3%	99.3%
Α	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	99.3%	99.3%	99.3%	99.3%
A	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	99.3%	99.3%	99.3%	99.3%
A	Dedicated Alert Transport	Alarm Signal Transport	99.3%	99.3%	99.3%	99.3%
A	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
Ε	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
E	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
E	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
E	Clig Bilg Num Deliv FG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
E	Clig Blig Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	CXR Select On Ryse Charg	800 Service	100.0%	100.0%	100.0%	100.0%
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
	MLKG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
	Route Diversity	-				
	· ·	Diversity Routing	100.0%	100.0%	100.0%	100.0%
	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
	Call Det Recd'g Rpts- Pkt		0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
;	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%
3	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
3	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
3	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
;	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
;	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
3	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	0.0%			0.0%
	MMI-MIK MUDIDLE MSG MTG	RECIEVE AUDIDLE MWI	0.0%	0.0%	0.0%	V.U%

CNS	Selective Call Forward's	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS	-	Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rev Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	Typ8 - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: HARRISBURG-LEBANON

Total Access Lines in: HARRISBURG-LEBANON Total = 32662

Percentage Availability of ONA Services By Date for HARRISBURG-LEBANON Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	80.9%	81.0%	81.2%	81.3%
BSA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	80.9%	81.0%	81.2%	81.3%
SA	Type F - Ded <64kbps	Digital Data Svc-DDS	94.2%	94.2%	94.3%	94.3%
SA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	94.2%	94.2%	94.3%	94.3%
SA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	51.0%	51.2%	51.5%	51.8%
SA	Dedicated Alert Transport	Alarm Signal Transport	100.0%	100.0%	100.0%	100.0%
SA	Type K - Ded 64kbps	Digital Data Svc DDS	9.0%	9.2%	9.3%	9.4%
SE	Fast Select Accept Pkt	Fast Select	80.9%	81.0%	81.2%	81.3%
E	Fast Select Request Pkt	Fast Select	80.9%	81.0%	81.2%	81.3%
E	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
Ε	Cllg Bllg Num Deliv FG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
SE	Clig Bilg Num Deliv FG D	Automatic No. ID	49.0%	48.8%	48.5%	48.2%
SE	Clig DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
SE	CXR Select On Rvse Charg	800 Service	100.0%	100.0%	100.0%	100.0%
SE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
SE	MWI- Activation Audible	MWI Audible	49.0%	48.8%	48.5%	48.2%
Ε	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
:	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
	3rd No. Bllg Inhibited	Blld No. Screenig (BNS)	100.0%	100.0%	100.0%	100.0%
E	ord not been minored	Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
=		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
		MWI Actvtn Audbl Rng Brst	49.0%	48.8%	48.5%	48.2%
	Call Det Recd'g Rpts- Pkt		80.9%	81.0%	81.2%	81.3%
	Fast Select Accept Pkt	Fast Select	80.9%	81.0%	81.2%	81.3%
	· ·		80.9%	81.0%	81.2%	81.3%
	Fast Select Request Pkt Automatic Callback	Fast Select	100.0%		100.0%	100.0%
	Automatic Recall	Automatic Busy Redial Automatic Call Return	100.0%	100.0%	100.0%	100.0%
				100.0%		
	CFBL Intraswitch CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0% 100.0%
		Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFDA Intraswitch	Ct Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CFDA Interswitch	Ct Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	51.0%	51.2%	51.5%	51.8%
	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
S	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	100.0%	100.0%	100.0%	100.0%

CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	49.0%	48.8%	48.5%	48.2%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	49.0%	48.8%	48.5%	48.2%
CNS		Special Call Acceptance	49.0%	48.8%	48.5%	48.2%
CNS		Anonymous Call Rejection	49.0%	48.8%	48.5%	48.2%
CNS	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	49.0%	48.8%	48.5%	48.2%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw ¹ d	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Cir Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: HONOLULU

Total Access Lines in: HONOLULU Total = 473859

Percentage Availability of ONA Services By Date for HONOLULU

Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
SA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	91.6%	91.6%	91.6%	91.6%
SA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	91.6%	91.6%	91.6%	91.6%
A	Type F - Ded <64kbps	Digital Data Svc-DDS	19.3%	19.6%	19.8%	20.0%
Ą	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	2.6%	2.7%	2.8%	2.9%
A	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
A	Dedicated Alert Transport	Alarm Signal Transport	19.3%	19.6%	19.8%	20.0%
4	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
Ē	Fast Select Accept Pkt	Fast Select	91.6%	91.6%	91.6%	91.6%
:	Fast Select Request Pkt	Fast Select	91.6%	91.6%	91.6%	91.6%
i	Cld DN Deliv via DID	Direct Inward Dialing	96.7%	95.6%	95.6%	95.5%
	Cllg Bilg Num Deliv FG B	Automatic No. ID	96.7%	95.6%	95.6%	95.5%
Ε	Cllg Bllg Num Deliv FG D	Automatic No. ID	69.6%	69.3%	69.1%	69.0%
E	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	91.4%	90.4%	90.3%	90.2%
Ė	CXR Select On Rvse Charg	800 Service	96.7%	95.6%	95.6%	95.5%
:	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	91.4%	90.4%	90.3%	90.2%
:	MWI- Activation Audible	MWI Audible	76.1%	75.7%	75.4%	75.2%
<u>:</u>	Multiline Hunt Group	Hunt Group Arrangement	96.7%	95.6%	95.6%	95.5%
:	MLHG-UCD Line Hunting	Uniform Call Distribution	91.4%	90.4%	90.3%	90.2%
	MLHG - UCD With Queuing	Queuing	91.4%	90.4%	90.3%	90.2%
	Three Way Call Transfer	User Transfer	91.4%	90.4%	90.3%	90.2%
	Remote Call Forwarding	Foreign Exchange	96.7%	95.6%	95.6%	95.5%
	Route Diversity	Diversity Routing	96.7%	95.6%	95.6%	95.5%
	3rd No. Bllg Inhibited	Blid No. Screen'g (BNS)	96.7%	95.6%	95.6%	95.5%
		Prior Pkt Sw'd Ntw Suppl	15.5%	15.4%	15.3%	15.2%
		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
		MWI Actvtn Audbl Rng Brst	60.6%	60.3%	60.1%	60.0%
	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	91.6%	91.6%	91.6%	91.6%
	Fast Select Accept Pkt	Fast Select	91.6%	91.6%	91.6%	91.6%
	Fast Select Request Pkt	Fast Select	91.6%	91.6%	91.6%	91.6%
	Automatic Callback	Automatic Busy Redial	91.4%	90.4%	90.3%	90.2%
	Automatic Recall	Automatic Call Return	91.4%	90.4%	90.3%	90.2%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	96.7%	95.6%	95.6%	95.5%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	96.7%	95.6%	95.6%	95.5%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	96.7%	95.6%	95.6%	95.5%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	96.7%	95.6%	95.6%	95.5%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	96.7%	95.6%	95.6%	95.5%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	96.7%	95.6%	95.6%	95.5%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	30.8%	30.1%	30.2%	30.2%
	CF - Variable	Variable Cl Fwd'g	96.7%	95.6%	95.6%	95.5%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	91.4%	90.4%	90.3%	90.2%
	Call Waiting - Cancel	Cancel Call Waiting	91.4%	90.4%	90.3%	90.2%
	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	91.4%	90.4%	90.3%	90.2%
	Customer Originated Trace	Call Tracing Service	91.4%	90.4%	90.3%	90.2%
	Distinctive Ringing	VIP Alert	91.4%	90.4%	90.3%	90.2%
	Dist Ring Term Screen	Smart Ring	91.4%	90.4%	90.3%	90.2%
	Hot Line	Auto Ring Dwn Ckt Signal	96.7%	95.6%	95.6%	95.5%
1	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	91.4%	90.4%	90.3%	90.2%

CNS	Selective Call Forward'g	Special Call Forwarding	91.4%	90.4%	90.3%	90.2%
CNS	Selective Call Rejection	Call Block	91.4%	90.4%	90.3%	90.2%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	96.7%	95.6%	95.6%	95.5%
CNS		Busy Number Redial	91.4%	90.4%	90.3%	90.2%
CNS		Saved Number Redial	60.6%	60.3%	60.1%	60.0%
CNS		Last Number Redial	91.4%	90.4%	90.3%	90.2%
CNS	Call Waiting	Call Waiting	96.7%	95.6%	95.6%	95.5%
CNS	Three Way Calling	Three Way Calling	96.7%	95.6%	95.6%	95.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	96.7%	95.6%	95.6%	95.5%
CNS		Cll Frwd'g Fixed-All clls	96.7%	95.6%	95.6%	95.5%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	96.7%	95.6%	95.6%	95.5%
CNS		Special Call Waiting	76.1%	75.7%	75.4%	75.2%
CNS		Special Call Acceptance	76.1%	75.7%	75.4%	75.2%
CNS		Anonymous Call Rejection	76.1%	75.7%	75.4%	75.2%
CNS	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	96.7%	95.6%	95.6%	95.5%
CNS		Call Restriction Service	96.7%	95.6%	95.6%	95.5%
CNS		MWI Abl Rcv Adbl Rng Brst	60.6%	60.3%	60.1%	60.0%
CNS		Cust.Controllable Ringing	75.9%	74.9%	75.0%	75.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	Typ8 - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

Total Access Lines in: HOUSTON Total = 91641

Percentage Availability of ONA Services By Date for HOUSTON Total

Гуре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	108.9%	109.1%	109.2%	109.5%
BSA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	108.9%	109.1%	109.2%	109.5%
SA	Type F - Ded <64kbps	Digital Data Svc-DDS	108.1%	108.3%	108.4%	108.7%
SA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	97.1%	97.3%	97.3%	97.6%
SA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	37.7%	37.6%	37.4%	37.1%
SA	Dedicated Alert Transport	Alarm Signal Transport	94.8%	95.3%	95.6%	96.1%
SA	Type K - Ded 64kbps	Digital Data Svc DDS	6.7%	6.5%	6.4%	6.3%
SE	Fast Select Accept Pkt	Fast Select	108.9%	109.1%	109.2%	109.5%
SE	Fast Select Request Pkt	Fast Select	108.9%	109.1%	109.2%	109.5%
SE	Cld DN Deliv via DID	Direct Inward Dialing	72.7%	72.7%	72.6%	72.5%
SE	Clig Blig Num Deliv FG B	Automatic No. ID	72.7%	72.7%	72.6%	72.5%
SE	Clig Blig Num Deliv FG D	Automatic No. ID	51.6%	51.5%	51.4%	51.5%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	81.8%	81.7%	81.5%	81.3%
	CXR Select On Rvse Charg	800 Service	72.7%	72.7%	72.6%	72.5%
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	81.8%	81.7%	81.5%	81.3%
	MWI- Activation Audible	MWI Audible	81.8%	81.7%	81.5%	81.3%
	Multiline Hunt Group	Hunt Group Arrangement	85.1%	84.9%	84.6%	84.4%
	MLHG-UCD Line Hunting	Uniform Call Distribution	81.8%	81.7%	81.5%	81.3%
	MLHG - UCD With Queuing	Queuing	69.5%	69.5%	69.5%	69.5%
	Three Way Call Transfer	User Transfer	81.8%	81.7%	81.5%	81.3%
	Remote Call Forwarding	Foreign Exchange	81.8%	81.7%	81.5%	81.3%
	Route Diversity	Diversity Routing	72.7%	72.7%	72.6%	72.5%
	3rd No. Bllg Inhibited	· · ·	85.1%			84.4%
	Jid No. Bitty Immorted	Bild No. Screen'g (BNS)		84.9%	84.6%	
		Prior Pkt Sw'd Ntw Suppl	33.5%	33.3%	33.2%	32.9%
E E		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
	Call Dat Daniel Duta Duta	MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
	Call Det Recd'g Rpts- Pkt		108.9%	109.1%	109.2%	109.5%
	Fast Select Accept Pkt	Fast Select	108.9%	109.1%	109.2%	109.5%
	Fast Select Request Pkt	Fast Select	108.9%	109.1%	109.2%	109.5%
	Automatic Callback	Automatic Busy Redial	81.8%	81.7%	81.5%	81.3%
	Automatic Recall	Automatic Call Return	81.8%	81.7%	81.5%	81.3%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	81.8%	81.7%	81.5%	81.3%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	81.8%	81.7%	81.5%	81.3%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	81.8%	81.7%	81.5%	81.3%
S	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	81.8%	81.7%	81.5%	81.3%
S	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	81.8%	81.7%	81.5%	81.3%
S	CFDA Interswitch	Cl Fwd-No Ans-Fixed	81.8%	81.7%	81.5%	81.3%
S	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	33.5%	33.3%	33.2%	32.9%
S	CF - Variable	Variable Cl Fwd'g	85.1%	84.9%	84.6%	84.4%
S	CF Var - Remote Act/Cont	Remote Access-CF Variable	81.8%	81.7%	81.5%	81.3%
S	Call Waiting - Cancel	Cancel Call Waiting	81.8%	81.7%	81.5%	81.3%
IS	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	81.8%	81.7%	81.5%	81.3%
S	Customer Originated Trace	Call Tracing Service	81.8%	81.7%	81.5%	81.3%
	Distinctive Ringing	VIP Alert	81.8%	81.7%	81.5%	81.3%
	Dist Ring Term Screen	Smart Ring	81.8%	81.7%	81.5%	81.3%
				84.9%	84.6%	84.4%
S	Hot Line	Auto Ring Dwn Ckt Signal	85.1%	04.7/	04.0%	UT . T/0

CNS	Selective Call Forward'g	Special Call Forwarding	81.8%	81.7%	81.5%	81.3%
CNS	Selective Call Rejection	Call Block	81.8%	81.7%	81.5%	81.3%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	85.1%	84.9%	84.6%	84.4%
CNS		Busy Number Redial	81.8%	81.7%	81.5%	81.3%
CNS		Saved Number Redial	36.0%	36.1%	36.3%	36.6%
CNS		Last Number Redial	81.8%	81.7%	81.5%	81.3%
CNS	Call Waiting	Call Waiting	81.8%	81.7%	81.5%	81.3%
CNS	Three Way Calling	Three Way Calling	85.1%	84.9%	84.6%	84.4%
CNS	Remote Call Forwarding	Remote Call Forwarding	81.8%	81.7%	81.5%	81.3%
CNS		Cll Frwd'g Fixed-All clls	85.1%	84.9%	84.6%	84.4%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	81.8%	81.7%	81.5%	81.3%
CNS		Special Call Waiting	81.8%	81.7%	81.5%	81.3%
CNS		Special Call Acceptance	81.8%	81.7%	81.5%	81.3%
CNS		Anonymous Call Rejection	81.8%	81.7%	81.5%	81.3%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	85.1%	84.9%	84.6%	84.4%
CNS	•	Call Restriction Service	85.1%	84.9%	84.6%	84.4%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		Cust.Controllable Ringing	48.4%	48.3%	48.3%	48.4%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: HUNTINGTON-ASHLAND

Total Access Lines in: HUNTINGTON-ASHLAND Total = 63133

Percentage Availability of ONA Services By Date for HUNTINGTON-ASHLAND Total

ype	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
SA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	68.8%	68.6%	68.4%	68.3%
Α	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	68.8%	68.6%	68.4%	68.3%
Ą	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	95.6%	95.6%	95.7%	95.7%
	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	56.4%	56.2%	56.0%	55.8%
ı.	Dedicated Alert Transport	Alarm Signal Transport	72.1%	71.8%	71.6%	71.4%
	Type K - Ded 64kbps	Digital Data Svc DDS	28.4%	28.1%	27.9%	27.6%
:	Fast Select Accept Pkt	Fast Select	68.8%	68.6%	68.4%	68.3%
	Fast Select Request Pkt	Fast Select	68.8%	68.6%	68.4%	68.3%
	Cld DN Deliv via DID	Direct Inward Dialing	69.3%	69.2%	69.1%	69.0%
	Clig Blig Num Deliv FG B	Automatic No. ID	69.3%	69.2%	69.1%	69.0%
	Clig Bilg Num Deliv FG D		95.6%	95.6%	95.7%	95.7%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	91.1%	91.1%	91.1%	91.1%
	CXR Select On Rvse Charg	800 Service	69.3%	69.2%	69.1%	69.0%
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	91.1%	91.1%	91.1%	91.1%
	MWI- Activation Audible	MWI Audible	91.1%	91.1%	91.1%	91.1%
	Multiline Hunt Group	Hunt Group Arrangement	95.6%	95.6%	95.7%	95.7%
	MLHG-UCD Line Hunting	Uniform Call Distribution	91.1%	91.1%	91.1%	91.1%
	MLHG - UCD With Queuing	Queuing	64.8%	64.7%	64.6%	64.4%
	Three Way Call Transfer	User Transfer	91.1%	91.1%	91.1%	91.1%
	Remote Call Forwarding				95.7%	95.7%
	-	Foreign Exchange	95.6%	95.6%		
	Route Diversity	Diversity Routing	69.3%	69.2%	69.1%	69.0%
	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	95.6%	95.6%	95.7%	95.7%
		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
		MegaConnect Svc (SMDS)	68.8%	68.6%	68.4%	68.3%
		MWI Actvtn Audbl Rng Brst	52.4%	52.1%	51.9%	51.8%
	Call Det Recdig Rpts-Pkt		68.8%	68.6%	68.4%	68.3%
	Fast Select Accept Pkt	Fast Select	68.8%	68.6%	68.4%	68.3%
	Fast Select Request Pkt	Fast Select	68.8%	68.6%	68.4%	68.3%
	Automatic Callback	Automatic Busy Redial	91.1%	91.1%	91.1%	91.1%
	Automatic Recall	Automatic Call Return	91.1%	91.1%	91.1%	91.1%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	95.6%	95.6%	95.7%	95.7%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	95.6%	95.6%	95.7%	95.7%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	95.6%	95.6%	95.7%	95.7%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	95.6%	95.6%	95.7%	95.7%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	95.6%	95.6%	95.7%	95.7%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	95.6%	95.6%	95.7%	95.7%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
	CF - Variable	Variable Cl Fwd'g	95.6%	95.6%	95.7%	95.7%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	91.1%	91.1%	91.1%	91.1%
	Call Waiting - Cancel	Cancel Call Waiting	91.1%	91.1%	91.1%	91.1%
	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	91.1%	91.1%	91.1%	91.1%
	Customer Originated Trace	Call Tracing Service	91.1%	91.1%	91.1%	91.1%
	Distinctive Ringing	VIP Alert	91.1%	91.1%	91.1%	91.1%
	Dist Ring Term Screen	Smart Ring	91.1%	91.1%	91.1%	91.1%
	Hot Line	Auto Ring Dwn Ckt Signal	95.6%	95.6%	95.7%	95.7%
		and our ove ordine		, 5.070	/0	/0

CNS	Selective Call Forward'g	Special Call Forwarding	91.1%	91.1%	91.1%	91.1%
CNS	Selective Call Rejection	Call Block	91.1%	91.1%	91.1%	91.1%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	95.6%	95.6%	95.7%	95.7%
CNS		Busy Number Redial	91.1%	91.1%	91.1%	91.1%
CNS		Saved Number Redial	64.8%	64.7%	64.6%	64.4%
CNS		Last Number Redial	91.1%	91.1%	91.1%	91.1%
CNS	Call Waiting	Call Waiting	95.6%	95.6%	95.7%	95.7%
CNS	Three Way Calling	Three Way Calling	95.6%	95.6%	95.7%	95.7%
CNS	Remote Call Forwarding	Remote Call Forwarding	95.6%	95.6%	95.7%	95.7%
CNS	Remote Carr 101 Nations	Cll Frwd'g Fixed-All clls	95.6%	95.6%	95.7%	95.7%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	95.6%	95.6%	95.7%	95.7%
CNS	C/ BL/ DA	Special Call Waiting	91.1%	91.1%	91.1%	91.1%
CNS		Special Call Acceptance	91.1%	91.1%	91.1%	91.1%
CNS		Anonymous Call Rejection	91.1%	91.1%	91.1%	91.1%
CNS	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	95.6%	95.6%	95.7%	95.7%
CNS		Call Restriction Service	95.6%	95.6%	95.7%	95.7%
CNS		MWI Abl Rcv Adbl Rng Brst	52.4%	52.1%	51.9%	51.8%
CNS		Cust.Controllable Ringing	91.1%	91.1%	91.1%	91.1%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Swid	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: INDIANAPOLIS

Total = 22358 Total Access Lines in: INDIANAPOLIS

Percentage Availability of ONA Services By Date for INDIANAPOLIS Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	93.7%	93.8%	94.0%	94.1%
SSA	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	93.7%	93.8%	94.0%	94.1%
SA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
SA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	74.1%	74.4%	74.7%	74.8%
SA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	38.7%	39.6%	40.4%	41.2%
SA	Dedicated Alert Transport	Alarm Signal Transport	70.9%	71.4%	71.8%	72.2%
SA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
SE	Fast Select Accept Pkt	Fast Select	93.7%	93.8%	94.0%	94.1%
SE	Fast Select Request Pkt	Fast Select	93.7%	93.8%	94.0%	94.1%
SE	Cld DN Deliv via DID	Direct Inward Dialing	91.8%	92.1%	92.3%	92.5%
Έ	Clig Blig Num Deliv FG B	Automatic No. ID	91.8%	92.1%	92.3%	92.5%
SE.	Cllg Bllg Num Deliv FG D	Automatic No. ID	72.9%	73.3%	73.7%	74.1%
SE	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	91.8%	92.1%	92.3%	92.5%
E	CXR Select On Ryse Charg	800 Service	91.8%	92.1%	92.3%	92.5%
SE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	91.8%	92.1%	92.3%	92.5%
	MWI- Activation Audible	MWI Audible	91.8%	92.1%	92.3%	92.5%
	Multiline Hunt Group	Hunt Group Arrangement	91.8%	92.1%	92.3%	92.5%
	MLHG-UCD Line Hunting	Uniform Call Distribution	91.8%	92.1%	92.3%	92.5%
	MLHG - UCD With Queuing	Queuing	91.8%	92.1%	92.3%	92.5%
	Three Way Call Transfer	User Transfer	91.8%	92.1%	92.3%	92.5%
	Remote Call Forwarding	Foreign Exchange	91.8%	92.1%	92.3%	92.5%
	Route Diversity	Diversity Routing	91.8%	92.1%	92.3%	92.5%
	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	91.8%	92.1%	92.3%	92.5%
:	Sid No. Bitty Hallbridg	Prior Pkt Sw'd Ntw Suppl	18.9%	18.7%	18.6%	18.4%
•		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
		MWI Actvtn Audbl Rng Brst	72.9%	73.3%	73.7%	74.1%
	Call Dat Boadla Data Dick	-				
	Call Det Recd'g Rpts- Pkt		93.7%	93.8%	94.0%	94.1%
	Fast Select Accept Pkt	Fast Select	93.7%	93.8%	94.0%	94.1%
	Fast Select Request Pkt	Fast Select	93.7%	93.8%	94.0%	94.1%
	Automatic Callback	Automatic Busy Redial	91.8%	92.1%	92.3%	92.5%
	Automatic Recall	Automatic Call Return	91.8%	92.1%	92.3%	92.5%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	91.8%	92.1%	92.3%	92.5%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	91.8%	92.1%	92.3%	92.5%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	91.8%	92.1%	92.3%	92.5%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	91.8%	92.1%	92.3%	92.5%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	91.8%	92.1%	92.3%	92.5%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	91.8%	92.1%	92.3%	92.5%
S	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	18.9%	18.7%	18.6%	18.4%
S	CF - Variable	Variable Cl Fwd'g	91.8%	92.1%	92.3%	92.5%
3	CF Var - Remote Act/Cont	Remote Access-CF Variable	91.8%	92.1%	92.3%	92.5%
S	Call Waiting - Cancel	Cancel Call Waiting	91.8%	92.1%	92.3%	92.5%
S	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	91.8%	92.1%	92.3%	92.5%
S	Customer Originated Trace	Call Tracing Service	91.8%	92.1%	92.3%	92.5%
S 1	Distinctive Ringing	VIP Alert	91.8%	92.1%	92.3%	92.5%
S 1	Dist Ring Term Screen	Smart Ring	91.8%	92.1%	92.3%	92.5%
	Hot Line	Auto Ring Dwn Ckt Signal	91.8%	92.1%	92.3%	92.5%
s i	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	91.8%	92.1%	92.3%	92.5%

CNS	Selective Call Forward'g	Special Call Forwarding	91.8%	92.1%	92.3%	92.5%
CNS	Selective Call Rejection	Call Block	91.8%	92.1%	92.3%	92.5%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	91.8%	92.1%	92.3%	92.5%
CNS		Busy Number Redial	91.8%	92.1%	92.3%	92.5%
CNS		Saved Number Redial	72.9%	73.3%	73.7%	74.1%
CNS		Last Number Redial	91.8%	92.1%	92.3%	92.5%
CNS	Call Waiting	Call Waiting	91.8%	92.1%	92.3%	92.5%
CNS	Three Way Calling	Three Way Calling	91.8%	92.1%	92.3%	92.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	91.8%	92.1%	92.3%	92.5%
CNS		Cll Frwd'g Fixed-All clls	91.8%	92.1%	92.3%	92.5%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	91.8%	92.1%	92.3%	92.5%
CNS		Special Call Waiting	91.8%	92.1%	92.3%	92.5%
CNS		Special Call Acceptance	91.8%	92.1%	92.3%	92.5%
CNS		Anonymous Call Rejection	91.8%	92.1%	92.3%	92.5%
CNS	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	91.8%	92.1%	92.3%	92.5%
CNS		Call Restriction Service	91.8%	92.1%	92.3%	92.5%
CNS		MWI Abl Rcv Adbl Rng Brst	72.9%	73.3%	73.7%	74.1%
CNS		Cust.Controllable Ringing	72.9%	73.3%	73.7%	74.1%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

Total Access Lines in: IOWA CITY Total = 4152

Percentage Availability of ONA Services By Date for IOWA CITY Total

Туре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
SA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
A	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
•	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	25.2%	25.7%	26.1%	26.5%
	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	25.2%	25.7%	26.1%	26.5%
ı	Dedicated Alert Transport	Alarm Signal Transport	55.9%	55.7%	55.6%	55.5%
	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
	Clig Bilg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
	Cllg Bllg Num Deliv FG D		100.0%	100.0%	100.0%	100.0%
	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	CXR Select On Rvse Charg	800 Service	0.0%	0.0%	0.0%	0.0%
:	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
	·					
	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
		MWI Actvin Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
	Call Det Recdig Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%
	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
	Cllg DA Deliv via ICLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
	Hot Line	•				
		Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	100.0%	100.0%	100.0%	100.0%

CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bilg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%

Total Access Lines in: JACKSON Total = 7469

Percentage Availability of ONA Services By Date for JACKSON

Total

Гуре	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
			0.0%	0.0%	0.0%	0.0%
SA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
A	Type B - X.75 PKt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
١	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	37.7%	37.9%	38.1%	38.2%
ı	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
	Dedicated Alert Transport	Alarm Signal Transport	0.0%	0.0%	0.0%	0.0%
	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
	Clig Bilg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
	Clig Blig Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
	Clig DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	CXR Select On Ryse Charg	800 Service	0.0%	0.0%	0.0%	0.0%
	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
:	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
		Foreign Exchange	100.0%	100.0%	100.0%	100.0%
	Remote Call Forwarding	-	0.0%	0.0%	0.0%	0.0%
	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
	3rd No. Bllg Inhibited	Bild No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
		MegaConnect Svc (SMDS)				0.0%
		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
	Call Det Recd'g Rpts-Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	
	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
3	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%
;	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
	CF Var - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
	Cilg DA Deliv via ICLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
3	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
;	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
	MWI-ATR Audible Msg Wtg	Recieve Audible MWI	100.0%	100.0%	100.0%	100.0%

CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	Typ8 - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw¹d	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	100.0%	100.0%	100.0%	100.0%
CNS		GTE Dial DataLink	100.0%	100.0%	100.0%	100.0%